

ATTENTION OWNER: Confidentiality
Privilege, Notice on Reverse Side

State of Texas WELL REPORT

Texas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Robinson, Randy ADDRESS PO Box 1788 Trinity, TX 75862
(Name) (Street or RFD) (City) (State) (Zip)
2) LOCATION OF WELL:
County Walker 10 miles in NW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-Watering

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling:
Started 04/26 19 90
Completed 4/27 19 90

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
<u>6 1/2</u>	Surface	<u>317</u>

7) BOREHOLE COMPLETION:

☒ Open Hole ☒ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

From (ft.)	To (ft.)	Description and color of formation material	Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casing Screen
						From	To	
0-2	top soil							
2-24	brown clay							
24-33	lignite		4	N	Sch 40 PVC	-1.5	305	40
33-123	blue clay							
123-140	sand		2	N	PVC UC	317	307	#8
140-160	blue clay							
160-173	sand							
173-212	blue clay							
212-249	blue clay w/sand							
249-305	blue clay							
305-317	sand	(Use reverse side if necessary)						

RECEIVED

AUG 29 1990

CEMENTING DATA [Rule 287.44(1)]

Cemented from 305 ft. to 205 ft. No. of Sacks Used 7
0 ft. to 10 ft. No. of Sacks Used 2

Method used PRESSURE
Cemented by Henery Lee

13) TYPE PUMP:

☐ Turbine ☐ Jet ☒ Submersible ☐ Cylinder
☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

14) WELL TESTS:

Type Test: ☐ Pump ☐ Bailor ☒ Jetted ☐ Estimated
Yield: 15 gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?
☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"
Type of water? good Depth of strata 12 ft
Was a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION

☐ Specified Surface Slab Installed [Rule 287.44(2)(A)]
☐ Pitless Adapter Used [Rule 287.44(3)(B)]
☒ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____
Artesian flow _____ gpm. Date _____

12) PACKERS:

Type Depth
Rubber 302

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete Items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells

WELL DRILLER'S LICENSE NO. 2026

(Type or print)

ADDRESS 607 hwy 19
(Street or RFD)

Huntsville

Tx

77340

(City)

(State)

(Zip)

(Signed) Randy Robinson
(Licensed Well Driller)

(Signed) _____
(Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-11-5 Located on map _____


**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]



#1 WALKER

Send original copy by certified mail to: Texas Water Commission, P.O. Box 13087, Austin, Texas 78711

230

Please use black ink.

ATTENTION OWNER: Confidentiality
Privilege Notice on Reverse SideState of Texas
WELL REPORTTexas Water Well Drillers Board
P.O. Box 13087
Austin, Texas 78711

1) OWNER Randy Robinson ADDRESS P.O. Box 1788 TRINITY, TX 75862
(Name) (Street or RFD) (City) (State) (Zip)

2) LOCATION OF WELL:
County Walker , 7 miles in NW direction from Huntsville
(NE, SW, etc.) (Town)

Driller must complete the legal description below with distance and direction from two intersecting section or survey lines, or he must locate and identify the well on an official Quarter- or Half-Scale Texas County General Highway Map and attach the map to this form.

☐ LEGAL DESCRIPTION:

Section No. _____ Block No. _____ Township _____ Abstract No. _____ Survey Name _____

Distance and direction from two intersecting section or survey lines _____

☒ SEE ATTACHED MAP

0760-13-6

3) TYPE OF WORK (Check):

☒ New Well ☐ Deepening
☐ Reconditioning ☐ Plugging

4) PROPOSED USE (Check):

☒ Domestic ☐ Industrial ☐ Monitor ☐ Public Supply
☐ Irrigation ☐ Test Well ☐ Injection ☐ De-watering

5) DRILLING METHOD (Check):

☒ Mud Rotary ☐ Air Hammer ☐ Jetted ☐ Bored
☐ Air Rotary ☐ Cable Tool ☐ Other _____

6) WELL LOG:

Date Drilling:

Started 4-27 1990Completed 4-30 1990

DIAMETER OF HOLE

Dia. (in.)	From (ft.)	To (ft.)
6.5	Surface	317

7) BOREHOLE COMPLETION:

☒ Open Hole ☐ Straight Wall ☐ Underreamed
☐ Gravel Packed ☐ Other _____

If Gravel Packed give interval . . . from _____ ft. to _____ ft.

From (ft.) To (ft.) Description and color of formation material

0-3 top soil
3-123 blue clay w/sand streaks
123-140 sand
140-160 blue clay
160-173 sand
173-212 blue clay
212-217 sand
217-249 blue clay w/sand streaks
249-305 blue clay
305-317 sand

(Use reverse side if necessary)

8) CASING, BLANK PIPE, AND WELL SCREEN DATA:

Dia. (in.)	New or Used	Steel, Plastic, etc. Perf., Slotted, etc. Screen Mfg., if commercial	Setting (ft.)		Gage Casting Screen
			From	To	
4	N	PVC	-1.5	305	40
2	N	PVC UC	317	307	#8

9) CEMENTING DATA [Rule 287.44(1)]

Cemented from 305 ft. to 205 ft. No. of Sacks Used 70 ft. to 10 ft. No. of Sacks Used 2Method used PressureCemented by Henry Lee

13) TYPE PUMP:

☐ Turbine ☐ Jet ☐ Submersible ☐ Cylinder☐ Other _____

Depth to pump bowls, cylinder, jet, etc., _____ ft.

TEXAS WATER COMMISSION

14) WELL TESTS:

Type Test: ☐ Pump ☐ Baller ☐ Jetted ☐ Estimated

Yield: _____ gpm with _____ ft. drawdown after _____ hrs.

15) WATER QUALITY:

Did the drilling penetrate any strata which contained undesirable constituents?

☐ Yes ☒ No If yes, submit "REPORT OF UNDESIRABLE WATER"Type of water? good Depth of strata 12 ftWas a chemical analysis made? ☐ Yes ☒ No

10) SURFACE COMPLETION

☒ Specified Surface Slab Installed [Rule 287.44(2)(A)]☐ Pitless Adapter Used [Rule 287.44(3)(B)]☐ Approved Alternative Procedure Used [Rule 287.71]

11) WATER LEVEL:

Static level _____ ft. below land surface Date _____

Artesian flow _____ gpm. Date _____

12) PACKERS:

Type	Depth
Rubber	300

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief. I understand that failure to complete Items 1 thru 15 will result in the log(s) being returned for completion and resubmittal.

COMPANY NAME Holly Water Wells WELL DRILLER'S LICENSE NO. 2026, 2221
(Type or print)ADDRESS 607 Hwy 19 Huntsville, Texas 77340
(Street or RFD) (City) (State) (Zip)(Signed) Randy Robinson (Signed) _____
(Licensed Well Driller) (Registered Driller Trainee)

Please attach electric log, chemical analysis, and other pertinent information, if available.

For TWC use only: Well No. 60-11-5 Located on map _____

**IMPORTANT NOTICE FOR PERSONS
HAVING WELLS DRILLED CONCERNING
PRIVILEGE OF CONFIDENTIALITY**

The Water Well Drillers Board and the Texas Water Commission are concerned that some persons having wells drilled may not be aware of the confidentiality privilege provision of Section 5 of the Water Well Drillers Act. Section 5, the Reporting of Well Logs, reads as follows:

"Every licensed water well driller drilling, deepening or otherwise altering a water well within this State shall make and keep, or cause to be made and kept, a legible and accurate well log, and within 60 days from the completion or cessation of drilling, deepening or otherwise altering such a water well, shall deliver or transmit by certified mail a copy of such well log to the Commission, and the owner thereof or the person having had such well drilled. Each copy of a well log, other than a Commission copy, shall include the name, mailing address, and telephone number of the Board and the Commission. The well log required herein shall at the request in writing to the Commission, by certified mail, by the owner or the person having such well drilled be held as confidential matter and not made of public record."

The last sentence specifies the means whereby you can, if you wish, assure that logs of your wells will be kept confidential.

[illegible]

1) OWNER:
Person having well drilled W.T. Love (Name)
Landowner W.T. Love (Name)

Address Rt 1 (Street or RFD)
Huntsville (City)
Texas (State)

Address Rt 1 (Street or RFD)
Huntsville (City)
Texas (State)

2) LOCATION OF WELL:
County Walker, 4 miles in NW direction from Crabs Prairie (Town)
Locate by sketch map showing landmarks, roads, creeks, hiway number, etc.
Sketch map showing Crabs Prairie and Huntsville with a north arrow.
(Use reverse side if necessary)

OR
Give legal location with distances and directions from adjacent sections or survey lines.
Labor _____ League _____
Block _____ Survey _____
Abstract No. _____
(NW¼ NE¼ SW¼ SE¼) of Section _____

3) TYPE OF WORK (Check):
☒ New Well
☐ Reconditioning
☐ Deepening
☐ Plugging

4) PROPOSED USE (Check):
☒ Domestic
☐ Irrigation
☐ Industrial
☐ Test Well
☐ Municipal
☐ Other

5) TYPE OF WELL (Check):
☒ Rotary
☐ Cable
☐ Driven
☐ Jetted
☐ Dug
☐ Bored

6) WELL LOG:
Diameter of hole 2 in. Depth drilled 132 ft. Depth of completed well 132 ft. Date drilled 8-30-73
All measurements made from 0 ft. above ground level.

From (ft.)	To (ft.)	Description and color of formation material
0-12		Hard Sand
12-43		clay
43-44		Rock
44-101		shale
101-132		Sand

9) Casing:
Type: Old ☒ New Steel ☒ Plastic ☒ Other _____
Cemented from _____ ft. to _____ ft.
Diameter (inches) 2 Setting From (ft.) 0 To (ft.) 122 Gage Sch 40
10) SCREEN:
Type Plastic
☒ Perforated ☐ Slotted
Diameter (inches) 2 Setting From (ft.) 122 To (ft.) 132 Slot Size 12

7) COMPLETION (Check):
☒ Straight wall
☐ Under reamed
☐ Gravel packed
☐ Open Hole
☐ Other

8) WATER LEVEL:
Static level 55 ft. below land surface Date 8-30-73
Artesian pressure _____ lbs. per square inch Date _____
Depth to pump bowls, cylinder, jet, etc., 25 ft. below land surface
9) WELL TESTS:
Was a pump test made? Yes No If yes, by whom? _____
Yield: _____ gpm with _____ ft. drawdown after _____ hrs.
Bailer test _____ gpm with _____ ft. drawdown after _____ hrs.
Artesian flow _____ gpm
Temperature of water _____

12) WATER QUALITY:
Was a chemical analysis made? Yes No
Did any strata contain undesirable water? Yes No
Type of water? _____ depth of strata _____

I hereby certify that this well was drilled by me (or under my supervision) and that each and all of the statements herein are true to the best of my knowledge and belief.

NAME W.C. Rhodes (Type or Print) Water Well Drillers Registration No. 1463
ADDRESS Rt 4 Box 312 (Street or RFD) Huntsville (City) Texas (State)
(Signed) Ed Harris (Water Well Driller) W.C. Rhodes (Company Name) Rhodes Water Wells Inc.

Please attach electric log, chemical analysis, and other pertinent information, if available.

*Additional instructions on reverse side.

2) LOCATION OF WELL:

The sketch showing the well location must be as accurate as possible, showing landmarks, in sufficient detail so that the well may be plotted on a General Highway Map of the county in which the well is located.

Reference points from which distances are measured and directions given should be of a permanent nature (e.g. highway intersections, center of towns, river and creek bridges, railroad crossings). The distance and direction from the nearest town should always be indicated.

When giving a legal description include a sketch showing location of the well within the described area. e.g. survey abstract.

Information furnished in Section 2) of the TWDBE-GW-53 is very important. Unless the well can be accurately located on a map the value of the other data contained in the Report is greatly reduced.

RECEIVED
MAR 15 1974
Central Records
Texas Water Development Board

RECEIVED
OCT 17 1973
TEXAS WATER
DEVELOPMENT BOARD

RECEIVED
NOV - 8 1973
TEXAS WATER
DEVELOPMENT BOARD